

Mobile Computer MC 9090ex-G for ATEX Zone 1





Mobile Computer MC 9090ex-G with 1D-Long Range Scan Engine

Features

- International approvals for global usability
- Barcode capture up to 12 m
- WLAN radio standard IEEE 802.11 a/b/g
- Easy battery changing in the Ex area
- Expanded storage capacity with replaceable SD card
- Various versions of replaceable keyboards
- Compatibility with MC9090 from Motorola
- Service contracts

Market

Description

The MC 9090ex-G Mobile Computer with its pistol grip is a robust device for reliable barcode scanning in hazardous (potentially explosive)

The scan trigger is conveniently positioned at the pistol grip. Thus barcodes can be captured with only one hand. The integrated radio module enables real time data access to your host system.

The MC 9090ex-G combines the strength of Microsoft's Pocket PC platform with the power of the Intel® XScale™ PXA270 processor with 624 MHz.

A further highlight is the large easy-to-read 1/4 VGA color display with touchscreen technology. The MC 9090ex-G is working with the IEEE 802.11a/b/g radio standard (direct sequence).

Automobile industry

(suppliers of paintwork, for paint shops, etc.)

Food and beverages

(suppliers of aromatic substances, etc.)

Petrochemicals

(from production through further processing to delivery)

Pharmaceuticals

(suppliers of individual components required for production e.g. medication)

Material flow monitoring

Production control

Applications

Supplier chain management

Incoming/outgoing goods, inventory management

Safety tests

Spare parts tracking

Maintenance/repair work

Workshop communication

Conformity assessment

Users

Dispatch, receiving and stock management departments

Personnel who have received instruction on the handling of potentially explosive substances.

Maintenance and repair

Personnel who have received instruction for deployment in potentially explosive areas.

Production area

Personnel who have received instruction on the handling of potentially explosive substances.

Explosion protection

ATEX Ex protection type

Certification

PTB 05 ATEX 2055

For further details see EC Type Certification.

Ex protection type

Ex q [ib] IIC T4

Certification

IECEx PTB 08.0012

For further details see IECEx Certificate of Conformity.

Other variants are available for:

- Brazil, Japan, Canada, Russia, South Africa and USA
- Mining EU

🔰 Technical data

Keyboard version

28, 33, 43 and 53 keys

Display

3.8", 1/4 VGA colour display with touchscreen 240 x 320 pixels

Barcode options

SE 1524: 1D-Long Range Scan Engine Reading range: 10 cm to 12 m

Dimensions (height x width x depth) 231 mm x 91 mm x 193 mm 9.1 inch x 3.6 inch x 7.6 inch

Weight

approx. 1060 g approx. 34 oz

Ambient temperature

-20 °C to +40 °C -4 °F to +104 °F

Storage temperature

-40 °C to +70 °C -40 °F to +158 °F

Charging temperature

0 °C to +40 °C +32 °F to +104 °F

5 % to 95 % (non-condensing)

Protection class (EN 60529)

IP 54

Processor

Intel® XScale™ PXA270 Processor/624 MHz

Memory

128/128 MB RAM/ROM with the option of expansion with SD card: 512 MB, 1 GB or 2 GB

Operating system

Windows Mobile 2005



Mobile Computer MC 9090ex-G for ATEX zone 1

BARTEC

Power supply

Li-ion battery 17-A1Z0-0001 with 7.4 V/2200 mAh Battery can be changed in the Ex area!

Backup battery

Ni-MH battery (rechargeable) 3.6 V/15 mAh

Interfaces

- RS232
- USB

Application development

SDK available from the Symbol Developer Central Website

Audio System

Integrated microphone and loudspeaker

The MC 9090 SC Mobile Computer with the 1D-Long Range Scan Engine recognises the following 1D barcodes:

Code 11	Interleaved 2 of 5	
Code 39	MSI	
Code 93	UPCA	
Code 128	UPCE	
Codabar	UPC/EAN supplementals	
Coupon Code	Trioptic 39	
Chinese 2 of 5	RSS-14	
Discrete 2 of 5	RSS Expanded	
EAN-8	RSS Limited	
EAN-13	Webcode	

Wireless data communication (WLAN)

Radio standard

IEEE 802.11a/b/g

Data rate/frequency range

IEEE802.11a: up to 54 Mbit/s - 5 GHz IEEE802.11b: up to 11 Mbit/s - 2.4 GHz IEEE802.11g: up to 54 Mbit/s - 2.4 GHz

Output power

100 mW (Germany and International)

Antenna

Integrated in the device

Note

The respective radio frequencies and usable channels depend on the country-specific regulations.

Bluetooth (WPAN)


Bluetooth version 1.2 with BT Explorer (including manager)

Max. data rate

1 Mbit/s

Antenna

Integrated in the device



Selection chart				
Version	Code no.	SD memory card	Code no.	
28 keys, numeric	A	without SD card	00	
33 keys, numeric	L			
43 keys, alphanumeric	F	SD card with 512 MB	01	
53 keys, alphanumeric	E			
53 keys with layout for VT emulation	G	SD card with 1 GB	02	
53 keys with layout for 3270 emulation	Н			
53 keys with layout for 5250 emulation	J	SD card with 2 GB	03	

with 1D-Long Range Scan Engine including Li-ion battery (1 piece)

Please insert correct code. Technical data subject to change without notice. Note: All variants without accessories.

You will find the accessories with order details on the accessories pages.

למידע נוסף



0732001311 www.ateka.co.il

